

Serial No. **10/829,208**
Amendment dated July 5, 2006
Reply to Office Action of April 5, 2006

Docket No. **IK-0088**

Amendments to the Drawings:

The attached drawings includes changes to Figure 4. This sheet, which includes Figure 4, replaces the original sheet including Figure 4. Figure 4 has been amended to include the legend "Prior Art." No new matter is added.

Attachment: Replacement Sheet (1 sheet)
Annotated Sheet Showing Changes (1 sheet)

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A mounting structure for a receiving box of a refrigerator, comprising:

a receiving chamber cover configured to define a partitioned space in a storage space provided within a main body of a refrigerator;

a receiving box provided in the partitioned space, comprising a receiving space configured to receive and to store items therein, the receiving space being open at an upper portion thereof;

a plurality of guide rails provided at positions on the receiving chamber cover corresponding to inner sides of ~~both~~ each of two opposite sidewalls of the receiving box and extending along the receiving chamber cover in a direction in which the receiving box is pushed into and pulled out of the partitioned space, wherein each of the plurality of guide rails comprises a guide channel which faces outward with respect to the receiving space; and

a plurality of guide flanges provided at upper ends of ~~both~~ two opposite sidewalls of the receiving box and extending in an inward direction with respect to the receiving space, wherein the plurality of guide flanges are positioned so as to correspond to the plurality of guide rails,

and wherein each guide flange of the plurality of guide flanges is supported and guided by a respective guide rail of the plurality of guide rails.

2. (Previously Presented) The mounting structure as claimed in claim 1, wherein the plurality of guide rails and the plurality of guide flanges extend in a corresponding direction, and the plurality of inward facing guide flanges are configured to be inserted into and guided by the outward facing guide channels formed in the plurality of guide rails.

3. (Previously Presented) The mounting structure as claimed in claim 2, wherein the plurality of guide flanges are formed on the sidewalls of the receiving box such that leading ends of the plurality of guide flanges protrude inward from the sidewalls by a predetermined length.

4. (Currently Amended) The mounting structure as claimed in claim 3, wherein a plurality of receiving boxes are provided, and wherein a guide rail is provided for each ~~side-end of the~~ two opposite sidewalls of each receiving box.

5. (Canceled)

6. (Previously Presented) The mounting structure as claimed in claim 1, wherein two receiving boxes are provided, and wherein a common guide rail is provided at a position where the two receiving boxes are adjacent to each other, wherein the common guide rail is configured to define channels on opposite sides thereof.
7. (Canceled)
8. (Previously Presented) The mounting structure as claimed in claim 1, wherein the plurality of guide flanges at least partially extend from rear ends of both sidewalls of the receiving box toward front ends of both sidewalls of the receiving box.
9. (Previously Presented) A refrigerator comprising the mounting structure of claim 1.
10. (Currently Amended) A mounting structure for a container of a refrigerator, comprising:
a cover configured to define a partitioned space within a refrigerator;
a container provided in the partitioned space and configured to receive items to be stored therein, wherein opposite side walls of the container each include a flange portion which extends from an upper end of the side walls toward a central portion of the container; and
a plurality of guide rails configured to slidably couple the container and the cover,

wherein each guide rail of the plurality of guide rails comprises a channel with an open portion thereof facing a corresponding flange portion of the container so as to receive the corresponding flange portion therein, and wherein the open portion of each channel faces in an outward direction with respect to a central portion of the container.

11. (Canceled)

12. (Previously Presented) The mounting structure claimed in claim 10, wherein the plurality of guide rails are positioned along the cover so as to correspond to a position of the side walls of the container within the partitioned space.

13. (Previously Presented) The mounting structure claimed in claim 12, wherein the plurality of guide rails are positioned along the cover in a direction in which the container slides into and out of the partitioned space.

14. (Previously Presented) The mounting structure claimed in claim 10, wherein more than one container is provided in the partitioned space, and wherein a guide rail is provided for each side wall of each container positioned in the partitioned space.

Serial No. **10/829,208**

Docket No. **IK-0088**

Amendment dated July 5, 2006

Reply to Office Action of April 5, 2006

15. (Canceled)

16. (Previously Presented) The mounting structure claimed in claim 10, wherein the flange portions of the container at least partially extend from a rear end of each side wall toward a front end of each side wall of the container.

17. (Previously Presented) A refrigerator comprising the structure of claim 10.

18-24. (Canceled)